



2025 RAM HEAVY DUTY



THE MOST ADVANCED RAM HEAVY DUTY PICKUPS EVER

THE NEW 2025 RAM HEAVY DUTY. Long-proven, credential-loaded Ram Heavy Duty trucks were born to deliver and built to serve. From the jobsite to the campsite, capability and strength let you haul and pull with confidence. Technology both under the hood and inside the cabin makes the drive more efficient, easier and all-around entertaining. This is the lineup for those who want to get it done, no excuses.





TRADESMAN®

STANDARD FEATURES:

POWERTRAIN

6.4L HEMI® V8 with Variable Valve Timing (VVT) and FuelSaver Multi-Displacement System (MDS)/8-speed automatic
Optional 6.7L Cummins® Turbo Diesel High Output I-6/8-speed automatic

INTERIOR AMENITIES

Vinyl 40/20/40-split front bench seat with manual adjust
20-percent fold-down centre bench seat with integrated armrest
Full-folding rear bench seat (Crew Cab)
Black instrument panel
Uconnect® 5 with 8.4-inch touchscreen display
Urethane steering wheel
Manual tilt/telescoping steering column
Manual Temperature Control
Vinyl floor covering
3.5-inch Thin Film Transistor (TFT) colour Driver Information Display (DID) cluster
3 USB ports—2 located on lower instrument panel and 1 in upper lid of bench seat

EXTERIOR FEATURES

Black grille
Black front and rear bumpers
LED reflector headlamps with Black bezels
LED fog lamps
17- or 18-inch Black-painted steel wheels
Black door handles
Incandescent taillamps
BSW All-Season (A/S) tires
Tow hooks

CAPABILITY & FUNCTIONALITY

Trailer light check
Trailer Brake Controller
Electronic shift-on-the-fly part-time transfer case (4x4 only)
Keyless push-button start
Class V hitch receiver
Trailer-tow wiring with 4- and 7-pin connectors
Front and rear heavy-duty shocks with Frequency Response Damping (FRD)
Rear fixed window
Active grille shutters
Active front air dam
LED hitch lamp in tailgate

SAFETY & SECURITY

Adaptive Cruise Control (ACC) with Stop*
Full-Speed Forward Collision Warning Plus (FSFCW+)¹
Pedestrian/Cyclist Emergency Braking²
6 air bags³ including driver and front-passenger, side-curtain and front-seat side-mounted
Electronic Stability Control (ESC)⁴
Antilock 4-wheel disc brakes
Sentry Key® Theft Deterrent System
Tire Pressure Monitoring System with display
ParkView® Rear Back-Up Camera¹
Rear-Seat Reminder Alert
Tailgate-ajar warning lamp

TRADESMAN SEAT OPTIONS



**Heavy-Duty Vinyl—
Diesel Grey/Black
Standard**



**Cloth—
Black
Optional**

APPEARANCE PACKAGE

Tradesman Power Wagon® Package

Includes Hill Descent Control, electronic locking front and rear differentials, 4.10 axle ratio, skid plates for fuel tank and transfer case, front electric winch, Black wheel flares, Black powder-coated front and rear bumpers, electric front disconnecting sway bar, Ram Articulink™ front suspension, off-road performance-tuned front and rear shocks, 17-inch Black-painted aluminum wheels with OWL All-Terrain (A/T) tires and Park-Sense® Front/Rear Park Assist¹



TRADESMAN SRW WHEELS



**17-inch
Black-Painted Steel
Standard (2500 only)
(WAA)**



**17-inch
Black-Painted Aluminum
Included with Tradesman
Power Wagon Package (2500 only)
(WF2)**



**18-inch
Black-Painted Steel
Standard (3500 only)
(WBF)**



**18-inch
Chrome-Clad Steel
Included with Chrome Appearance Group
or Tradesman Level 2 Equipment Group
(WBH)**

TRADESMAN DRW WHEELS



**17-inch
Black-Painted Steel
Standard (3500 only)
(WFG)**



**17-inch
Polished Aluminum
Included with Chrome Appearance Group
or Tradesman Level 2 Equipment Group
(WF7)**

TRADESMAN CONFIGURATIONS

CABS			BOXES		BOXES, 3500 DRW ONLY		SEATING	
REGULAR CAB	CREW CAB	MEGA CAB®	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40-SPLIT BENCH SEAT	BUCKET SEATS
AVAILABLE	AVAILABLE	NOT AVAILABLE	CREW CAB	REGULAR CAB/ CREW CAB	NOT AVAILABLE	REGULAR CAB/ CREW CAB	STANDARD	NOT AVAILABLE

SRW = Single Rear Wheel DRW = Dual Rear Wheel

*All disclaimers can be found on the last page.

BIG HORN®



STANDARD FEATURES; INCLUDES SELECT TRADESMAN® FEATURES PLUS:

POWERTRAIN

6.4L HEMI® V8 with Variable Valve Timing (VVT) and FuelSaver Multi-Displacement System (MDS)/8-speed automatic
Optional 6.7L Cummins® Turbo Diesel High Output I-6/8-speed automatic

SAFETY & SECURITY

Park-Sense® Front/Rear Park Assist¹
Security alarm⁵

INTERIOR AMENITIES

Cloth 40/20/40-split front bench seat
Cloth full-folding rear bench seat (Crew Cab)
Carpet floor covering with floor mats
Manual 4-way driver and front-passenger seats
Premium vinyl door trim panel

EXTERIOR FEATURES

Chrome-surround/Black grille
Chrome bumpers
18-inch Polished aluminum wheels
Big Horn badge
Black, power, heated, telescoping mirrors with supplemental signals, courtesy lamps and auxiliary convex mirrors

BIG HORN SEAT



Cloth—
Black
Standard

APPEARANCE PACKAGES

Sport Appearance Package

Includes body-colour grille surround and body-colour bumpers, Sport decal and Black interior accents



Night Edition

For Crew Cab only. Includes body-colour upper and lower grille surround, door handles and bumpers; Black headlamp and taillamp bezels and badging; Black-painted grille; and Black-painted aluminum wheels



BIG HORN SRW WHEELS



18-inch
Polished Aluminum
Standard
(WBE)



20-inch
Black-Painted Aluminum
Included with Night Edition
(WF3)



17-inch
Polished Aluminum
Standard
(WF7)



17-inch
Black-Painted Aluminum
with Machined Eyelets
Included with Night Edition
(WFQ)

BIG HORN CONFIGURATIONS

CABS			BOXES		BOXES, 3500 DRW ONLY		SEATING	
REGULAR CAB	CREW CAB	MEGA CAB®	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40-SPLIT BENCH SEAT	BUCKET SEATS
AVAILABLE	AVAILABLE	NOT AVAILABLE	CREW CAB	REGULAR CAB/ CREW CAB	NOT AVAILABLE	REGULAR CAB/ CREW CAB	STANDARD	AVAILABLE

SRW = Single Rear Wheel DRW = Dual Rear Wheel



REBEL[®] (2500 ONLY)

STANDARD FEATURES; INCLUDES SELECT BIG HORN[®] FEATURES PLUS:

POWERTRAIN

6.4L HEMI[®] V8 with Variable Valve Timing (VVT) and FuelSaver Multi-Displacement System (MDS)/8-speed automatic
 Optional 6.7L Cummins[®] Turbo Diesel High Output I-6/8-speed automatic

INTERIOR AMENITIES

Unique Black interior trim
 Vinyl/cloth 40/20/40-split front bench seat
 Vinyl/cloth 60/40 split-folding rear bench seat
 Power driver seat (with 2-way power lumbar adjust)
 12-inch digital Driver Information Display (DID) cluster
 115-volt power outlet
 SiriusXM[®] with 360L[®]
 Uconnect[®] 5 NAV⁷ with 12-inch touchscreen display
 Heated front seats
 Second-row in-floor storage bins
 Rear power-sliding window
 Auto-dimming rearview mirror
 Air conditioning with Dual-Zone Automatic Temperature Control (ATC)
 Dual glove boxes
 Interior accent lighting
 Heated steering wheel

EXTERIOR FEATURES

Black-surround unique grille
 Black powder-coated front and rear bumpers
 Unique Black wheel flares
 20-inch Black-painted Diamond-Cut aluminum wheels
 BSW All-Terrain (A/T) tires
 Dampened tailgate with unique "RAM" scripted badge
 Lower two-tone paint
 Power telescoping mirrors with forward and reverse utility lights
 Clearance lamps
 Bi-functional LED projector headlamps
 LED taillamps
 115-volt AC outlet with 400-watt inverter

CAPABILITY & FUNCTIONALITY

Electronic shift-on-the-fly part-time transfer case
 Bilstein[®] off-road shocks
 Fuel tank skid plate
 Transfer case skid plate
 Front-suspension skid plate
 Electronic locking rear axle

SAFETY & SECURITY

Hill Descent Control
 Blind-Spot Monitoring (BSM) with Rear Cross-Path Detection¹
 Remote Start System

REBEL SEAT OPTIONS



**Vinyl/Cloth Bench—
Black**
Standard



**Leather-Faced Bucket—
Black**
Included with Rebel Level 1
Equipment Group



**Premium Leather-Faced Bucket—
Black**
Included with Rebel Level 2
Equipment Group

REBEL WHEEL



**20-inch
Black-Painted Diamond-Cut Aluminum**
Standard
(WRD)

REBEL CONFIGURATIONS (2500 ONLY)

CABS			BOXES		BOXES, 3500 DRW ONLY		SEATING	
REGULAR CAB	CREW CAB	MEGA CAB [®]	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40-SPLIT BENCH SEAT	BUCKET SEATS
NOT AVAILABLE	STANDARD	NOT AVAILABLE	STANDARD	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	STANDARD	AVAILABLE

SRW = Single Rear Wheel DRW = Dual Rear Wheel



POWER WAGON[®] (2500 ONLY)

STANDARD FEATURES; INCLUDES SELECT REBEL[®] FEATURES PLUS:

POWERTRAIN

6.4L HEMI[®] V8 with Variable Valve Timing (VVT) and FuelSaver Multi-Displacement System (MDS)/8-speed automatic

EXTERIOR FEATURES

17-inch Black-painted aluminum wheels
 OWL On-/Off-Road tires
 Dampened tailgate with unique "RAM" scripted badge

CAPABILITY & FUNCTIONALITY

Ram Articulink[™] front suspension
 Electronic disconnecting front sway bar
 Electronic locking front and rear axles
 Raised ride height
 4.10 axle ratio

POWER WAGON SEAT OPTIONS



**Vinyl/Cloth Bench—
Black**
Standard



**Leather-Faced Bucket—
Black**
Included with Power Wagon
Level 1 Equipment Group



**Premium Leather-Faced Bucket—
Black**
Included with Power Wagon Level 2
Equipment Group

POWER WAGON WHEEL



**17-inch
Black-Painted Aluminum**
Standard
(WF2)

POWER WAGON CONFIGURATIONS (2500 ONLY)

CABS			BOXES		BOXES, 3500 DRW ONLY		SEATING	
REGULAR CAB	CREW CAB	MEGA CAB [®]	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40-SPLIT BENCH SEAT	BUCKET SEATS
NOT AVAILABLE	STANDARD	NOT AVAILABLE	STANDARD	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	STANDARD	AVAILABLE

SRW = Single Rear Wheel DRW = Dual Rear Wheel



LARAMIE®

STANDARD FEATURES; INCLUDES SELECT POWER WAGON® FEATURES PLUS:

POWERTRAIN

6.4L HEMI® V8 with Variable Valve Timing (VVT) and FuelSaver Multi-Displacement System (MDS)/8-speed automatic
 Optional 6.7L Cummins® Turbo Diesel High Output I-6/8-speed automatic

INTERIOR AMENITIES

Leather-faced 40/20/40-split front bench seat
 Power front seats (with 2-way power lumbar adjust)
 Heated front seats
 Leather-wrapped, heated steering wheel
 Leather-faced 60/40 split-folding rear bench seat
 12-inch digital Driver Information Display (DID) cluster
 10-speaker premium audio system, including a subwoofer
 SiriusXM® with 360L®
 Uconnect® 5 NAV⁷ with 12-inch touchscreen display
 5 USB ports
 Universal Garage Door Opener⁸
 Dual-Zone Automatic Temperature Control (ATC)
 LED ambient interior lighting
 Rear power-sliding window
 Sun visors with illuminated vanity mirrors
 Auto-dimming rearview mirror
 Dual glove boxes
 LED interior accent lighting
 115-volt auxiliary front and rear power outlets

EXTERIOR FEATURES

Chrome-surround/Chrome billet grille
 Body-colour front and rear bumpers
 Body-colour door handles
 18-inch Diamond-Cut aluminum wheels with Black-painted pockets
 Laramie badge
 Automatic power-folding, power telescoping mirrors with forward and reverse utility lights
 Bi-functional LED projector headlamps
 LED taillamps
 Dampened tailgate with unique "RAM" scripted badge
 Rear wheelhouse liners
 115-volt AC outlet with 400-watt inverter

SAFETY & SECURITY

Security alarm⁵
 Remote proximity passive entry/keyless push-button start
 Blind-Spot Monitoring (BSM) with Rear Cross-Path Detection¹
 Remote Start System

LARAMIE SEAT OPTIONS



**Leather-Faced—
Black**
Standard



**Leather-Faced—
Sea Salt/Bison Brown**
Optional

LARAMIE SRW WHEELS



**18-inch
Diamond-Cut Aluminum with
Black-Painted Pockets**
Standard
(WBC)



**20-inch
Polished Aluminum**
Included with Sport
Appearance Package
(WR1)



**20-inch
Black-Painted Aluminum**
Included with Night Edition
(WF3)



**17-inch
Polished Aluminum**
Standard
(WF7)



**17-inch
Black-Painted Aluminum
with Machined Eyelets**
Included with Night Edition
(WFQ)

APPEARANCE PACKAGES

Sport Appearance Package

Includes Sport Performance Hood, body-colour grille surround, Sport decal and polished aluminum wheels



Night Edition

Includes Sport Performance Hood, body-colour grille surround, Black headlamp and taillamp bezels and badging, Black-painted billet grille and Black-painted aluminum wheels



LARAMIE CONFIGURATIONS

CABS			BOXES		BOXES, 3500 DRW ONLY		SEATING	
REGULAR CAB	CREW CAB	MEGA CAB®	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40-SPLIT BENCH SEAT	BUCKET SEATS
NOT AVAILABLE	AVAILABLE	AVAILABLE	CREW CAB/ MEGA CAB	CREW CAB	MEGA CAB	CREW CAB	STANDARD	AVAILABLE

SRW = Single Rear Wheel DRW = Dual Rear Wheel



LIMITED

STANDARD FEATURES; INCLUDES SELECT LARAMIE® FEATURES PLUS:

POWERTRAIN

6.4L HEMI® V8 with Variable Valve Timing (VVT) and FuelSaver Multi-Displacement System (MDS)/8-speed automatic
 Optional 6.7L Cummins® Turbo Diesel High Output I-6/8-speed AISIN® automatic

INTERIOR AMENITIES

Limited-specific premium leather and wood interior treatment
 Premium leather front bucket seats with full-length centre console
 Premium leather 60/40 split-folding rear bench seat with fold-down armrest
 Leather-wrapped/real-wood steering wheel
 Uconnect® 5 NAV⁷ with 14.4-inch touchscreen display
 10.25-inch front-passenger interactive display
 Premium rubber slush mats with removable carpet inserts
 Dual wireless charging pads
 Heated and ventilated front seats with driver's memory
 Power-adjustable pedals
 Bright door sill plates
 Leather-wrapped shift knob
 Heated outboard rear seats
 Driver's memory settings for radio, power seat, exterior mirrors and power-adjustable pedals
 Power-adjustable pedals
 17-speaker harman/kardon® Premium Sound System

EXTERIOR FEATURES

Unique Limited-specific grille
 Limited badge
 Chrome bodyside moulding
 20-inch Diamond-Cut aluminum wheels with Black-painted pockets
 BSW All-Season (A/S) tires
 Chrome window mouldings
 Chrome wheel-to-wheel side steps
 Body-colour wheel flares
 Auto-dimming mirrors with auto-adjust-in-Reverse

CAPABILITY & FUNCTIONALITY

Power-release tailgate
 Electronic shift-on-the-fly part-time transfer case
 RamBox® Cargo Management System (6'4" box only)
 Mopar® Deployable Bed Step

SAFETY & SECURITY

Rain-sensitive windshield wipers
 Directional headlamps (Adaptive Forward Lighting System)
 Auto High-Beam Headlamp Control

LIMITED SEAT OPTIONS



Premium Leather-Faced Bucket—Black
Standard



Premium Leather-Faced Bucket—Ebony Red/Black
Optional

APPEARANCE PACKAGES

Night Edition

Includes Sport Performance Hood; Black badges, grille inserts, and headlamp and taillamp bezels; body-colour grille surround; and Black-painted aluminum wheels



Chrome Bumper Package

Includes Chrome front and rear bumpers



LIMITED SRW WHEELS



20-inch Diamond-Cut Aluminum with Black-Painted Pockets
Standard (WHC)



20-inch Black-Painted Aluminum
Included with Night Edition (WHD)

LIMITED DRW WHEELS



17-inch Polished Aluminum
Standard (WF7)



17-inch Black-Painted Aluminum with Machined Eyelets
Included with Night Edition (WFQ)

LIMITED CONFIGURATIONS

CABS			BOXES		BOXES, 3500 DRW ONLY		SEATING	
REGULAR CAB	CREW CAB	MEGA CAB®	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40-SPLIT BENCH SEAT	BUCKET SEATS
NOT AVAILABLE	AVAILABLE	AVAILABLE	CREW CAB/MEGA CAB	CREW CAB	MEGA CAB	CREW CAB	NOT AVAILABLE	STANDARD

SRW = Single Rear Wheel DRW = Dual Rear Wheel



LIMITED LONGHORN[®]

STANDARD FEATURES; INCLUDES SELECT LIMITED FEATURES PLUS:

POWERTRAIN

6.4L HEMI[®] V8 with Variable Valve Timing (VVT) and FuelSaver Multi-Displacement System (MDS)/8-speed automatic
 Optional 6.7L Cummins[®] Turbo Diesel High Output I-6/8-speed automatic

INTERIOR AMENITIES

Limited Longhorn specific premium leather-faced and wood interior treatment
 Premium leather-faced bucket seats with laser etching

LIMITED LONGHORN SEAT



Premium Leather-Faced with Laser Etching Bucket—
 Bison Brown/Mountain Brown
 Standard

APPEARANCE PACKAGE

Chrome Bumper Package

Includes Chrome front and rear bumpers



LIMITED LONGHORN SRW WHEEL



20-inch
 Diamond-Cut Aluminum with
 Black-Painted Pockets
 Standard
 (WHC)

LIMITED LONGHORN DRW WHEEL



17-inch
 Polished Aluminum
 Standard
 (WF7)

LIMITED LONGHORN CONFIGURATIONS

CABS			BOXES		BOXES, 3500 DRW ONLY		SEATING	
REGULAR CAB	CREW CAB	MEGA CAB [®]	SRW: 6' 4" BOX	SRW: 8' BOX	DRW: 6' 4" BOX	DRW: 8' BOX	40/20/40-SPLIT BENCH SEAT	BUCKET SEATS
NOT AVAILABLE	AVAILABLE	AVAILABLE	CREW CAB/MEGA CAB	CREW CAB	MEGA CAB	CREW CAB	NOT AVAILABLE	STANDARD

SRW = Single Rear Wheel DRW = Dual Rear Wheel

RAM 2500/3500 EXTERIOR COLOURS

BRIGHT WHITE
(PW7)



SILVER ZYNITH
(PSE)



GRANITE CRYSTAL METALLIC
(PAU)



DIAMOND BLACK CRYSTAL PEARL
(PXJ)



FORGED BLUE METALLIC
(PCG)



RED HOT
(PR6)



FLAME RED
(PR4)



HYDRO BLUE PEARL
(PBJ)



CERAMIC GREY
(PDN)



PAINT COLOURS AND TWO-TONE OPTIONS

	BRIGHT WHITE	SILVER ZYNITH	GRANITE CRYSTAL METALLIC	DIAMOND BLACK CRYSTAL PEARL	FORGED BLUE METALLIC	RED HOT	FLAME RED	HYDRO BLUE PEARL	CERAMIC GREY
TRADESMAN®	M	M	M	M	M	M	M	N/A	N/A
BIG HORN®	M	M	M	M	M	M	M	N/A	M
REBEL®	M ■	M ■	M ■	M	M ■	M ■	M ■	M ■	M ■
POWER WAGON®	M ■	M ■	M ■	M	M ■	M ■	M ■	M ■	M ■
LARAMIE®	M	M	M	M	M	M	M	N/A	M
LIMITED	M	M	M	M	M	M	M	N/A	M
LIMITED LONGHORN®	M	M	M	M	M	M	N/A	N/A	N/A

M = Monotone Paint ■ = Diamond Black Crystal Pearl Lower Two-Tone N/A = Not Available

To see more examples of possible paint combinations,
visit RAMTRUCK.CA

Not all colours are available on all models.
Additional low-volume paints available.

RAM 2500/3500 DIMENSIONS

2500/3500 INTERIOR DIMENSIONS

All specs based on models only; in mm (in) unless otherwise noted	REGULAR CAB		CREW CAB		MEGA CAB®	
	8' BOX		6' 4" BOX		6' 4" BOX	
HEADROOM, FRONT/REAR	39.8 (1006)		40.9 (1039)/39.8 (1011)		40.9 (1039)/40.3 (1024)	
LEGGROOM, FRONT/REAR	40.9 (1039)		40.9 (1039)/40.2 (1021)		40.9 (1039)/43.1 (1095)	
SHOULDER ROOM, FRONT/REAR	65.9 (1674)		65.9 (1674)/65.6 (1666)		65.9 (1674)/65.6 (1666)	
HIP ROOM, FRONT/REAR	62.9 (1598)		62.9 (1598)/62.7 (1592)		62.9 (1598)/62.8 (1595)	
BEHIND SECOND ROW, CU FT (L)	N/A		N/A		12.1 (343)	
TOTAL INTERIOR VOLUME, CU FT (L)	62.5 (1770)		124.6 (3528)		142 (4021)	

2500 EXTERIOR DIMENSIONS

All specs based on models only; in mm (in) unless otherwise noted	REGULAR CAB		CREW CAB		MEGA CAB (4x4 ONLY)	
	8' BOX		6' 4" BOX		6' 4" BOX	
OVERALL BODY WIDTH	83.5 (2120)		83.5 (2120)		83.5 (2120)	
OVERALL HEIGHT (4x2/4x4)	78 (1981)/80.2 (2037)		78.2 (1987)/80.2 (2037)		78.1 (1983)/80.1 (2035)	
OVERALL LENGTH	232 (5982)		238.8 (6066)		260.8 (6626)	
TRACK, FRONT	68.7 (1745)		68.7 (1745)		68.7 (1745)	
TRACK, REAR	68.1 (1729)		68.1 (1729)		68.1 (1729)	
WHEELBASE	140.2 (3560)		149.1 (3785)		169 (4293)	
BOX HEIGHT	20.2 (513)		20.1 (511.1)		20.2 (513)	
BOX LENGTH	98.3 (2496.5)		76.3 (1938.5)		98.3 (2496.5)	
BOX WIDTH, WALL-TO-WALL	66.4 (1686.9)		66.4 (1686.9)		66.4 (1686.9)	
BOX WIDTH, BETWEEN WHEEL HOUSINGS	51 (1295.4)		51 (1295.4)		51 (1295.4)	

3500 EXTERIOR DIMENSIONS

All specs based on models only; in mm (in) unless otherwise noted	REGULAR CAB		CREW CAB			MEGA CAB (4x4 ONLY)	
	8' BOX	8' BOX DRW	6' 4" BOX	8' BOX	8' BOX DRW	6' 4" BOX	6' 4" BOX DRW
OVERALL WIDTH	83.5 (2120)	96.5 (2450)	83.5 (2120)	83.5 (2120)	96.5 (2450)	83.5 (2120)	96.5 (2450)
OVERALL HEIGHT (4x2/4x4)	78.3 (1988)/80.4 (2024)	77.8 (1976.1)/79.5 (2019.3)	78.3 (1988)/80.3 (2039)	78.4 (1990)/79.8 (2029)	77.1 (1959)/79.3 (2015)	79.9 (2029)	78.9 (2004)
OVERALL LENGTH	232 (5892)	232 (5892)	238.8 (6066)	260.8 (6626)	260.8 (6626)	249.9 (6348)	250 (6348)
TRACK, FRONT	67.7 (1719)	67.7 (1719)	67.7 (1719)	67.7 (1719)	67.7 (1719)	67.7 (1719)	67.7 (1719)
TRACK, REAR	67.1 (1703)	75.9 (1927)	67.1 (1703)	67.1 (1703)	75.9 (1927)	67.1 (1703)	75.9 (1927)
WHEELBASE	140.2 (3560)	140.2 (3560)	149 (3785)	169.3 (4300)	169 (4300)	160 (4074)	160 (4074)
BOX HEIGHT	20.2 (513)	20.2 (513)	20.1 (511.1)	20.2 (513)	20.2 (513)	20.1 (511.1)	20.1 (511.1)
BOX LENGTH	98.3 (2496.5)	98.3 (2496.5)	76.3 (1938.5)	98.3 (2496.5)	98.3 (2496.5)	76.3 (1938.5)	76.3 (1938.5)
BOX WIDTH, WALL-TO-WALL	66.4 (1686.9)	66.4 (1686.9)	66.4 (1686.9)	66.4 (1686.9)	66.4 (1686.9)	66.4 (1686.9)	66.4 (1686.9)
BOX WIDTH, BETWEEN WHEEL HOUSINGS	51 (1295.4)	51 (1295.4)	51 (1295.4)	51 (1295.4)	51 (1295.4)	51 (1295.4)	51 (1295.4)

DRW = Dual Rear Wheel N/A = Not Available

RAM 2500/3500 PAYLOAD CAPACITY

2500 PAYLOAD SPECIFICATIONS

Maximum payload capacities; all dimensions are in kg (lb) unless otherwise noted	REGULAR CAB			CREW CAB				MEGA CAB®
	GCWR	6' 4" BOX		6' 4" BOX		8' BOX		6' 4" BOX
		4x2	4x4	4x2	4x4	4x2	4x4	4x4
6.4L HEMI® V8/8HP75 8-SPEED	3885 (8565)				725 (1600)			
	4491 (9900)	1755 (3870)	1606 (3540)	1601 (3530)	1470 (3240)	1537 (3390)	1388 (3060)	
	4536 (10,000)	1801 (3970)	1660 (3660)	1647 (3630)	1520 (3350)	1583 (3490)	1429 (3150)	
6.7L CUMMINS® HIGH OUTPUT TURBO DIESEL I-6/ 8-SPEED	4491 (9900)		1134 (2500)	1129 (2490)	1021 (2250)	1075 (2370)	925 (2040)	839 (1850)
	4536 (10,000)		1179 (2600)	1175 (2590)	1057 (2330)	1129 (2490)	975 (2150)	871 (1920)
	4622 (10,190)		1266 (2790)	1261 (2780)	1143 (2520)	1216 (2680)	1061 (2340)	957 (2110)

3500 PAYLOAD SPECIFICATIONS

Maximum payload capacities; all dimensions are in kg (lb) unless otherwise noted	REGULAR CAB				CREW CAB						MEGA CAB		
	GCWR	8' BOX		8' BOX DRW		6' 4" BOX		8' BOX		8' BOX DRW		6' 4" BOX	6' 4" BOX DRW
		4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x4	4x4
6.4L HEMI V8/8HP75 8-SPEED	4876 (10,750)	2123 (4680)					1950 (4300)						
	5008 (11,040)		2077 (4580)					1928 (4250)					
	5058 (11,150)							2050 (4520)					
	5189 (11,440)								2014 (4440)				
	6350 (14,000)			3475 (7660)	3270 (7210)						3184 (7020)	3012 (6640)	
6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6/ 8-SPEED	5216 (11,500)					1833 (4040)							
	5352 (11,800)		1982 (4370)				1810 (3990)						
	5443 (12,000)							2014 (4440)					
	5579 (12,300)								1955 (4310)			1869 (4120)	
	6123 (13,500)				2531 (5580)					2445 (5390)	2295 (5060)		2236 (4930)
	6350 (14,000)				2744 (6050)					2672 (5890)	2513 (5540)		2458 (5420)

Notes regarding the charts above: DRW = Dual Rear Wheel. Weights given in kg (lb). Numbers in **Black boxes** reflect the maximum of that class. Weights are estimated values rounded to the nearest 5 kg (10 lb). Payload = GVWR - Base Weight. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GVWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GVWR of 6260 kg (13,800 lb) applies to Tradesman® Power Wagon® Package only. For all other price classes for this configuration (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), GVWR is 6214 kg (13,700 lb).

RAM 2500 TOWING CAPACITY

2500 TOWING SPECIFICATIONS – SAE J2807 STANDARD COMPLIANT

All dimensions are in kg (lb) unless otherwise noted (when properly equipped)			REGULAR CAB		CREW CAB				MEGA CAB®
			8' BOX		6' 4" BOX		8' BOX		6' 4" BOX
	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x4
6.4L HEMI® V8/ 8HP75 8-SPEED	3.73	10,002 (22,050)	7053 (15,550)	6913 (15,240)	6899 (15,210)	6772 (14,930)	6836 (15,070)	6681 (14,730)	6573 (14,490)
	4.10	8165 (18,000)				4790 (10,560)			
	4.10	11,000 (24,250)	8051 (17,750)	7911 (17,440)	7897 (17,410)	7770 (17,130)	7834 (17,270)	7679 (16,930)	7570 (16,690)
6.7L CUMMINS® HIGH OUTPUT TURBO DIESEL I-6/ 8-SPEED	3.42	10,788 (23,783)							6922 (15,260)
	3.42	11,018 (24,290)							7135 (15,730)
	3.42	11,679 (25,748)						7897 (17,410)	
	3.42	12,056 (26,580)						8283 (18,260)	
	3.42	12,607 (27,794)				8922 (19,670)			
	3.42	12,619 (27,820)		9049 (19,950)					
	3.42	12,642 (27,870)			9063 (19,980)		9072 (20,000)	8268 (18,230)	
	3.42	12,696 (27,989)					9072 (20,000)		
	3.42	12,702 (28,003)							
	3.42	12,750 (28,110)				9058 (19,970)			

Notes regarding the charts above: DRW = Dual Rear Wheel. Weights given in kg (lb). Numbers in **Black boxes** reflect the maximum of that class. Weights are estimated values rounded to the nearest 5 kg (10 lb). Payload = GVWR - Base Weight. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GVWRs and GCWRs should never be exceeded. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GVWR of 6260 kg (13,800 lb) applies to Tradesman® Power Wagon® Package only. For all other price classes for this configuration (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), GVWR is 6214 kg (13,700 lb).

Notes regarding the charts above: DRW = Dual Rear Wheel. Weights given in kg (lb). Numbers in **Black boxes** reflect the maximum of that class. Payload and Max Trailer Weights are ESTIMATED values and rounded to the nearest 5 kg (10 lb). Payload = GVWR - Base Weight. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GVWRs and GCWRs should never be exceeded. Trailer Weight Rating and Tow Vehicle Trailing Weight are calculated as specified in SAE J2807. Passenger Weight = 136 kg (300 lb). Options Weight = 45 kg (100 lb). Trailing Equipment Weight: 34 kg (75 lb) for conventional hitch, 32 kg (70 lb) for gooseneck and 113 kg (250 lb) for fifth wheel. Tongue weight: 10 percent of the gross trailer weight for conventional hitch, 15 percent of the gross trailer weight for a fifth-wheel or gooseneck hitch. Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tongue weight. Box-Off Body Completion Weight = 36 kg (80 lb) per foot from end of cab to end of frame. The maximum tongue weight for Class V (hitch receiver) is limited to 816 kg (1800 lb). A fifth-wheel or gooseneck hitch is required for trailers over 8165 kg (18,000 lb). The 6260-kg (13,800-lb) GVWR stated for Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio applies to Tradesman® Power Wagon® Package only. For all other configurations (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), the GVWR is 6214 kg (13,700 lb).

RAM 3500 TOWING CAPACITY

3500 TOWING SPECIFICATIONS – SAE J2807 STANDARD COMPLIANT

All dimensions are in kg (lb) unless otherwise noted (when properly equipped)			REGULAR CAB				CREW CAB						MEGA CAB®	
			8' BOX		8' BOX DRW		6' 4" BOX		8' BOX		8' BOX DRW		6' 4" BOX	6' 4" BOX DRW
			AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
6.4L HEMI® V8/ 8HP75 8-SPEED	3.73	9979 (22,000)	7013 (15,460)	6836 (15,070)			6840 (15,080)	6686 (14,740)	6759 (14,900)	6591 (14,530)				
	3.73	10,251 (22,600)			7162 (15,790)	6958 (15,340)					6872 (15,150)	6700 (14,770)		
	4.10	10,991 (24,230)		7847 (17,300)					7775 (17,140)					
	4.10	10,995 (24,240)	8060 (17,700)				7856 (17,320)	7702 (16,980)		7607 (16,770)				
	4.10	11,340 (25,000)			8251 (18,190)	8047 (17,740)					7961 (17,550)	7788 (17,170)		
6.7L CUMMINS® HIGH OUTPUT TURBO DIESEL I-6/ 8-SPEED	3.42	14,401 (31,748)					10,805 (23,820)							
	3.42	14,408 (31,765)						10,655 (23,490)						
	3.42	14,842 (32,720)							11,548 (25,460)				10,918 (24,070)	
	3.42	15,209 (33,530)								11,408 (25,150)				
	3.42	15,245 (33,610)												
	3.42	15,386 (33,920)		11,789 (25,990)										
	3.42	17,588 (38,776)												13,490 (29,740)
	3.42	17,921 (39,490)											13,871 (30,580)	
	3.42	18,771 (41,383)									14,878 (32,800)			
	3.42	19,046 (41,990)												14,941 (32,940)
	3.42	19,269 (42,481)					15,468 (34,100)							
	3.42	19,386 (42,739)											15,336 (33,810)	
	3.42	19,523 (43,040)									15,631 (34,460)			
3.42	20,412 (45,000)													

Notes regarding the charts above: DRW = Dual Rear Wheel. Weights given in kg (lb). Numbers in **black boxes** reflect the maximum of that class. Payload and Max Trailer Weights are ESTIMATED values and rounded to the nearest 5 kg (10 lb). Payload = GVWR - Base Weight. Payload and Trailer Weight Rating are mutually exclusive. GAWRs, GVWRs and GCWRs should never be exceeded. Trailer Weight Rating and Tow Vehicle Trailing Weight are calculated as specified in SAE J2807. Passenger Weight = 136 kg (300 lb). Options Weight = 45 kg (100 lb). Trailing Equipment Weight: 34 kg (75 lb) for conventional hitch, 32 kg (70 lb) for gooseneck and 113 kg (250 lb) for fifth wheel. Tongue weight: 10 percent of the gross trailer weight for conventional hitch, 15 percent of the gross trailer weight for a fifth-wheel or gooseneck hitch. Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailing equipment and tongue weight. Box-Off Body Completion Weight = 36 kg (80 lb) per foot from end of cab to end of frame. The maximum tongue weight for Class V (hitch receiver) is limited to 816 kg (1800 lb). A fifth-wheel or gooseneck hitch is required for trailers over 8165 kg (18,000 lb). The 6260-kg (13,800-lb) GVWR stated for Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio applies to Tradesman® Power Wagon® Package only. For all other configurations (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), the GVWR is 6214 kg (13,700 lb).



FOLLOW US

1. This is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of his or her surroundings and be prepared to take corrective action to avoid collisions. 2. This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. 3. The Advanced Front Air Bags in this vehicle are certified to the Federal regulations for Advanced Air Bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a front-passenger air bag. All occupants should always wear their lap and shoulder belts properly. 4. No system can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. 5. Vehicle must be locked and system activated for alarm to sound. 6. If you decide to continue service after your trial, the subscription plan you choose will continue and you will be charged according to your chosen payment method at then-current rates unless you cancel your services. Fees and taxes apply. Some services and features are subject to device capabilities and location availability. Please see the SiriusXM Customer Agreement at www.siriusxm.ca/terms for complete terms and how to cancel, which includes calling SiriusXM at 1-888-539-7474. All fees and programming are subject to change, provided that we will notify you in advance of any price change. We use personal information in accordance with our Privacy Policy, available at www.siriusxm.ca/privacy. 7. Never program while driving. GPS mapping and 3D navigation may not be detailed, available in all areas or reflect current road regulations. 8. Not compatible with all garage door openers.

ABOUT THIS CATALOGUE: Since the time of printing, some of the information you'll find in this catalogue may have been updated. Ask your retailer for details. Some of the equipment shown or described throughout this catalogue may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA Canada Inc. reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. For the price of the model with the equipment you desire, or verification of specifications contained herein, see your Ram retailer.

©2025 FCA Canada Inc. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Mopar, Big Horn, HEMI, Laramie, Limited, Limited Longhorn, Mega Cab, Mopar Vehicle Protection, Park-Sense, ParkView, Power Wagon, RamBox, the Ram's Head logo, Rebel, Sentry Key, Tradesman and Uconnect are registered trademarks and Ram ArticulinK is a trademark of FCA US LLC. AISIN is a registered trademark of Aisin Seiki Co., Ltd. Cummins is a registered trademark of Cummins, Inc. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Facebook and logo are registered trademarks of Meta Platforms, Inc. Goodyear is a registered trademark of The Goodyear Tire & Rubber Company. All rights reserved. The YouTube logo is a registered trademark of Google LLC. harman/kardon is a registered trademark of Harman International Industries, Incorporated. Instagram is a registered trademark of Instagram, Inc. Nexen is a registered trademark of Nexen Tire Corporation. ©2025 SiriusXM Canada Inc. "SiriusXM," the SiriusXM logo, channel names and logos are trademarks of SiriusXM Radio Inc. and are used under licence. All rights reserved. The X service marks (formerly Twitter) are the intellectual property of X Corp.

WARRANTIES: 2025 Chrysler, Jeep, Dodge and Ram vehicles are backed by a 5-year or 100,000-kilometre* fully transferable Powertrain Limited Warranty with \$0 deductible plus 24-hour roadside assistance! Basic Warranty coverage is for 3 years or 60,000 kilometres. Rust-through coverage on all body sheet metal is for 3 years. The Cummins Turbo Diesel engine is protected by a separate Limited Warranty, covering the engine for 5 years or 160,000 kilometres.

*Whichever comes first. Some conditions may apply. †The 5-Year/100,000-Kilometre Powertrain Limited Warranty does not apply to vehicles sold for certain commercial uses. See your retailer for full details.

MOPAR VEHICLE PROTECTION: FCA Canada Inc. has a vested interest in your satisfaction and owner experience with your new Ram Truck. Mopar Vehicle Protection offers extended service plans to help ensure that you'll enjoy your truck for many years down the road. For more information on comprehensive vehicle coverage, see your Ram retailer, call 800-465-2001 or visit www.fcacanada.ca/owners

RAMTRUCK.CA

RAM IS A REGISTERED TRADEMARK OF FCA US LLC.